



Engineering and technical ceramics by Precision Ceramics



Using Nanodroplets of Water to Shape Graphene

Back One Email / Share

Posted in | Materials Processing | Materials Research | Modeling and Simulation | Nanomaterials and Nanotechnology

Search AZoM News



















1 of 4 12/17/2009 02:58 PM



Personal SEM



Ads by Google

Calibration Instrument

Loop and Process Calibrators. Many In Stock. Order Today! Transcat.com

Testing Lab -Fast Results

Environmental, Materials, Asbestos Microbiology, Forensic, Air Quality www.EMSL.com

Adhesion & Cohesion

Measure Tack, Adhesion, Peel, Shear & Tension with the TA.XTPlus www.TextureTechnologies.com

- Popular
- Latest
- Random
- :: New Way to Tune Lasers to Work in the Terahertz Spectrum
- :: Scientists Find Evidence of Confinement Using Neutron Scattering
- :: A Single Phosphorus Atom in Silicon Used to Build a Transistor
- :: Large Hadron Collider Back in Operation Looking for New States of Matter
- :: LINPAC Packaging Wins Manufacturer of the Year Award
- :: SPECTRO Precious Metal Analyzers Now Available from Geotechnical Services
- :: Geotechnical Services Offer SPECTRO XRF Analyzers to the US Market
- Geotechnical Services Introduces the
- :: SPECTRO XSORT Handheld XRF Analyzers to the U.S. Market
- :: Advanced Composites Group Sign Long Term Supply Deal with US Formula 1 Team
- :: EU Market for Flat Steel products Starts to Stabilise
- :: Tata Steel Win Award from World Steel
 Association
- :: Quantachrome Introduce Aquadyne DVS Gravimetric Water Sorption Analyzer
- :: RPC Creates Lightest Ever Jerrycan
- :: Air Products Signs Long Term Hydrogen
 Supply Deal with Shell
- :: Gallium and Indium Used to Make Shape Shifting Antennas

Tab options

Graphene -- a singleatom-thick sheet of carbon, like those seen in pencil marks -- offers great potential for new types of nanoscale devices, if a good way can be found to mold the material into desired shapes.

Chemists at the <u>University of Illinois at Chicago</u> say it's possible, reporting that graphene can become quite pliable using only a nanodroplet of water to do the job.

"Up until now, it wasn't thought we could controllably fold these structures," said Petr Král, assistant professor of chemistry at UIC. "But now we know how to shape graphene by using weak forces between nanodroplets carefully positioned on graphene sheets."

Král and two of his graduate students described the process in a recent article in Nano Letters, which is highlighted in Nature's "news and views" section Dec. 17.

Engineers already cut graphene into narrow ribbons and other shapes, expanding the set of carboneous systems such as fullerenes, carbon nanotubes and nano-diamonds. Using computer simulations, Král showed that weak molecular interactions called van der Waals forces between water nanodroplets and graphene can shape it into a wide variety of forms, without the water and graphene chemically binding.

"Depending on the size of the water droplet and the shape and size of graphene flake used, we can fold it in different shapes for various applications," said Král. "It's similar to the way proteins are folded in biological cells with the help of chaperone proteins."

Král and his students discovered they could use water droplets to roll, bend, slide and



Your Partner for Static, Dynamic and Fatigue Materials Testing



shape graphene into different complex structures such as capsules, sandwiches, knots and rings -- all potential building blocks of nanodevices with unique mechanical, electrical or optical properties. By using special techniques like atomic force microscopy and carefully guided microscopic needles, water droplets and other materials can be carefully positioned on graphene to shape it into desired forms, he says.

Král's laboratory is studying potential uses of nanoscale graphene, such as ways to coat it with phospholipid molecules that would allow it to become part of biological cell membranes where it might perform specific functions. His lab is also designing graphene sheet nanoscale pores that allow the building of novel ion and molecular separation membranes for use in desalination and other applications.

While the materials he works with are inorganic, Král sees a growing trend to developing hybrid multifunctional systems that combine inorganic nanostructures with biological cellular systems.

"We're trying to detect signals from the biological world or pass signals to the biological world," he said. "In the future, perhaps proteins will evolve to interact with inorganic systems. It's a way of evolution to form a new interface, or hybrid system, working together on novel functions."

The Nano Letters article was co-authored by Niladri Patra, a UIC chemistry doctoral student and first author on the paper, and former UIC doctoral student Boyang Wang, now a post-doctoral fellow at Northwestern University.

Posted Dec 17, 2009

3 of 4 12/17/2009 02:58 PM

	Search AZo	oM News	
AZoM News Archive Page			
		∆ Тор	
		Rack One	



Precision engineered ceramic components available globally



Other AZoNetwork Sites | AZoNano.com | AZoBuild.com | AZoOptics.com | AZoCleantech.com | News-Medical.Net | Partners - Eng-Tips.com

version 2.0 - AZoM™ - The A to Z of Materials and AZojomo - The "AZo Journal of Materials Online"...AZoM™.com Pty.Ltd Copyright © 2000-2009

4 of 4 12/17/2009 02:58 PM