





[-] Text [+]

*

Water droplets shape graphene nanostructures

Featured In: Instrumentation

By EurekAlert Thursday, December 17, 2009

Graphene -- A single-atom-thick sheet of carbon, like those seen in pencil marks -- offers great potential for new types of nanoscale devices, if a good way can be found to mold the material into desired shapes.

Chemists at the University of Illinois at Chicago say it's possible, reporting that graphene can become quite pliable using only a nanodroplet of water to do the job.



"Up until now, it wasn't thought we could controllably fold these structures," said Petr Král, assistant professor of chemistry at UIC. "But now we know how to shape graphene by using weak forces between nanodroplets carefully positioned on graphene sheets."

Král and two of his graduate students described the process in a recent article in Nano Letters, which is highlighted in Nature's "news and views" section Dec. 17.

Engineers already cut graphene into narrow ribbons and other shapes, expanding the set of carboneous systems such as fullerenes, carbon nanotubes and nano-diamonds. Using computer simulations, Král showed that weak molecular interactions called van der Waals forces between water nanodroplets and graphene can shape it into a wide variety of forms, without the water and graphene chemically binding.

"Depending on the size of the water droplet and the shape and size of graphene flake used, we can fold it in different shapes for various applications," said Král. "It's similar to the way proteins are folded in biological cells with the help of chaperone proteins."

Král and his students discovered they could use water droplets to roll, bend, slide and shape graphene into different complex structures such as capsules, sandwiches, knots and rings □- all potential building blocks of nanodevices with unique mechanical, electrical or optical properties. By using special techniques like atomic force microscopy and carefully guided microscopic needles, water droplets and other materials can be carefully positioned on graphene to shape it into desired forms, he says.

Král's laboratory is studying potential uses of nanoscale graphene, such as ways to coat it with phospholipid molecules that would allow it to become part of biological cell membranes where it might perform specific functions. His lab is also designing graphene sheet nanoscale pores that allow the building of novel ion and molecular separation membranes for use in desalination and other applications.

While the materials he works with are inorganic, Král sees a growing trend to developing hybrid multifunctional systems that combine inorganic nanostructures with biological cellular systems.

"We're trying to detect signals from the biological world or pass signals to the biological world," he said. "In the future, perhaps proteins will evolve to interact with inorganic systems. It's a way of evolution to form a new interface, or hybrid system, working together on novel functions."

SOURCE

Join the Discussion

Rate Article: Average 0 out of 5

register or log in to comment on this article!

News

Supplier Update

Merck buys British maker of biotech medicines 2 hours ago

UR study reveals chemo's toxicity to brain, possible treatment

3 hours ago

Special excerpt of Environmental Policy and Law about human rights and the environment

3 hours ago

Anadys hepatitis C drug meets key study goals

3 hours ago

Invasion without a stir 4 hours ago

NIH awards La Jolla Institute \$18.8 million for major infectious disease study

4 hours ago

Hebrew U. receives \$5 million for research on leishmaniasis in Ethiopia 4 hours ago

more NEWS >>



Most Popular

Related Content

'Extreme' genes shed light on origins of photosynthesis

Dec 11

1 of 3 12/17/2009 01:53 PM

0 COMMENTS		
ADD COMMENT		
Text Only 2000 character limit	Add Comment	
Page 1 of 1		

AGU fall meeting: Final press conference list, press conference visuals online

Dec 10

Researchers demonstrate nanoscale X-ray imaging of bacterial cells

Dec 7

Imaging Through the Pipeline
Jun 15

Copying mother nature's designs
Dec 11

Research Exchange

Application White Papers Posters Journal Ask the Notes Articles Experts

Calibration Free Analysis to Measure the Concentration of Active Proteins
Nov 23

An SPR-based method, Calibration Free Concentration Analysis can be used to accurately determine the concentration of active protein in a sample, relating to the specific binding activity of the protein, and without the need for a standard.



Advances in EMCCD Technology: Making Imaging Less Arbitrary Nov 16

Recent advances in EMCCD technology have solved the problem of non-standardized measurement units by using the photoelectron to standardize imaging experiments.



10 Tips for Successful Sample Concentration and Buffer Exchange

Centrifugal devices with ultrafiltration (UF) membrane can solve common problems researchers face when working with proteins.



Meeting the Challenges of Long-term Time-lapse Imaging Oct 26

Recent technological developments in the sequence capture of cellular events through a light microscope can be combined to image multiple independent experiments automatically, with many advantages.

more APPLICATION NOTES >>

STAY INFORMED: SUBSCRIBE TO



Magazine and E-mail Newsletters

E-mail:

Submit



MULTIMEDIA

Video:



Neuroscience Diseases of The Brain and How The Mind Emerges

Dennis Choi, director of Emory Universitys Neuroscience Center, is renowned for his groundbreaking research on brain and spinal cord injury.

more VIDEO >>

Podcasts:



Allen Institute for Brain Research Oct 14

Discussed in this interview are both the mouse brain

project and the human cortex project with an emphasis on the importance of these projects to neuroscience research.

more PODCASTS >>

2 of 3 12/17/2009 01:53 PM



Chromatography Techniques
Drug Discovery &
Development
Lab Design News
Laboratory Equipment

Pharmaceutical Processing R&D Magazine Scientific Computing

Information:

About Us | Contact Us | Advertise With Us Sitemap | Privacy Policy Terms & Conditions Stay in Touch:









Blogs

3 of 3 12/17/2009 01:53 PM